

## TYPICAL STREET SECTION - LOCAL STREET

NO ON-STREET PARKING PERMITTED. MASTER PLAN APPROVAL REQUIRED FOR ON-STREET PARKING ALLOWANCE

DATE MODIFIED:

## **GENERAL NOTES:**

- PAVEMENT SECTION IN ACCORDANCE WITH STANDARD DRAWING OR APPROVED PAVEMENT DESIGN PER PS-01.
- 2. ALL WORK IN PUBLIC RIGHT-OF-WAY SHALL BE CONSTRUCTED BY A LICENSED CONTRACTOR AND REQUIRES A PERMIT AND APPROVAL BY THE DEPT. OF PUBLIC WORKS.

## **KEYED NOTES:**

- 1 STANDARD 6" CURB & GUTTER. SEE DWG. CG-01
- 2 4" THICK CONCRETE SIDEWALK. SEE DWG. DW-01
- FOR RESIDENTIAL DRIVEWAYS, SEE DWG. DW-01
- WHERE ROW/PROP. WALL EXISTS OR IS PLANNED, SIDEWALK SHALL BE SETBACK A MINIMUM OF 1' FROM THE FACE OF WALL. AN APPROVED WEED FREE SURFACE SHALL BE PROVIDED WITHIN THE 1' SETBACK AREA. ACCEPTABLE WEED FREE SURFACES INCLUDE:
  - a. 4" THICK CONCRETE (WIDENED SIDEWALK)
  - GROUTED CONC., BRICK, OR STONE PAVERS (TYPE TO BE APPROVED BY THE DEPT. OF PUBLIC WORKS)
  - c. 4" THICK COMPACTED CRUSHER FINES WITH WEED BARRIER FABRIC. COMPACTED WITH HAND ROLLER.
- (5) BUFFER. SEE DWG. BF-01.



## City of Rio Rancho Department of Public Works

TYPICAL STREET SECTION LOCAL STREET

DWG. NO. TS-01

SEPT 23, 2008