

## CONSTRUCTION NOTES:

- A. MACHINED OR GROUND BEARING SURFACES.
- B. 'SANITARY', 'WATER', OR 'STORM' CAST ON COVER TO IDENTIFY SANITARY SEVER, WATER OR STORM DRAINAGE SYSTEMS RESPECTIVELY.
- C. LETTER SIZE TO BE 1' MIN. IN HEIGHT, TYPICAL. 'CITY OF RIO RANCHO'
- D. VENT HOLE REQUIRED.
- E. MONOLITHIC CAST IRON OR STEEL ROD INSERTS AT MANUFACTURER'S OPTION. IF INSERT IS PROVIDED IT MUST HAVE 3/16' MIN. COVER AND 3/4' END EMBEDMENT IN CASTING.
- F. GUSSETS OPTIONAL IF REQUIRED BY MANUFACTURER.

## GENERAL NOTES:

- 1. STANDARD CAST IRON M.H. FRAME AND COVER.
  WEIGHTS: COVER = 180 LBS., FRAME = 145 LBS.
  TOTAL = 325 LBS. (TOLERANCE = \_ 5%)
- 2. REFERENCE SPEC. SECTION 130.

City of Rio Rancho-Department of Public Infrastruc	<b>+</b>

SEWER MANHOLE FRAMES AND COVERS

PUBLIC INFRASTRUCTURE DEPARTMENT ENGINEERING DIVISION

DATE: 7/91 REV.: 2/06 STANDARD DRAWING S-2 (1 OF 2)

